

Printing date 02.07.2021 Version number 1 Revision: 20.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CarpetPro Cleaner iCapsol RM 768 OA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Carpet shampoo
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-2548

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Revision: 20.04.2021 Printing date 02.07.2021 Version number 1

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:			
CAS: 68439-57-6 EINECS: 270-407-8 Reg.nr.: 01-2119513401-57-0001	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 38 % Eye Irrit. 2; H319: 5 % ≤ C < 38 %	≥1-<5%	
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	1-5%	
Regulation (EC) No 648/2004 on detergents / Labelling for contents			
anionic surfactants, non-ionic surfactants, preservation agents (BENZISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)			

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

perfumes

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 02.07.2021 Version number 1 Revision: 20.04.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

٠EU



Revision: 20.04.2021 Printing date 02.07.2021 Version number 1

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

at the workplace.		
DNELs		
67-63-0 pr	opan-	2-ol
Oral	DNEL	26 mg/kg*d (consumer)
Dermal	DNEL	888 mg/kg*d (employee)
		319 mg/kg*d (consumer)
Inhalative	DNEL	500 mg/m3 (employee)
		89 mg/m3 (consumer)
PNECs		
67-63-0 pr	opan-	2-ol
PNEC		140.9 mg/l (freshwater)
		140.9 mg/l (marine water)
		140.9 mg/l (STP)
2,2		2,251 mg/l (STP)
PNEC sediment 552 mg/kg (freshwater)		552 mg/kg (freshwater)
		552 mg/kg (marine water)
PNEC soil		28 mg/kg (soil)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling.



Printing date 02.07.2021 Version number 1 Revision: 20.04.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Whitish · Odour: fresh

· Odour threshold: Not determined.

· Melting point/freezing point: -3 °C

· Boiling point or initial boiling point and boiling

range undetermined · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: >95 °C (Closed Cup)

· Auto-ignition temperature: Product is not selfigniting. Not determined. · Decomposition temperature:

· pH at 20 °C 5.6 · pH-value 1 %: 6-8

· Viscosity:

· Kinematic viscosity Not determined. · dynamic: Not determined.

· Solubility

· Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. Not determined.

· Vapour pressure:

· Density and/or relative density

Density at 20 °C: 1.037 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature: not applicable

Product does not present an explosion hazard. · Explosive properties:

· Solvent content:

· Organic solvents: 1.5 % · VOC (EC) 1.50 % · Solids content: 16.2 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void

(Contd. on page 6)



Printing date 02.07.2021 Version number 1 Revision: 20.04.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

		(Contd. of page 5)
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
 Self-heating substances and mixtures 	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	
-		

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
57-13-6 urea			
Inhalative	LC50	14,300 mg/kg (Rat)	
68439-57-	68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		
Oral	LD50	2,079 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>6,300 mg/kg (Rabbit) (OECD 402)	
			(Contd. on page 7)

— E



Printing date 02.07.2021 Version number 1 Revision: 20.04.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

		(Contd. of page 6)		
67-63-0 propan-2-ol				
Dermal	LD50	12,800 mg/kg (Rabbit)		
		12,800 mg/kg (rabbit)		
Inhalative	LC50	5,280 mg/kg (Rat)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic to	· Aquatic toxicity:		
68439-57-6	68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		
LC50/96 h	4.2 mg/l (Danio rerio) (OECD 203)		
EC50/48 h	4.53 mg/l (Daphnia sp.) (OECD 202)		
EC50/72 h	5.2 mg/l (Algae) (OECD 201)		
EC50	230 mg/l (bacteria) (OECD 209)		
67-63-0 pro	ppan-2-ol		
LC50/96 h	9,640 mg/l (Pimephales promelas)		
EC50/48 h	13,299 mg/l (Daphnia magna)		
EC50/72 h	>1,000 mg/l (Desmodesmus subspicatus)		
EC10/18 h	>1,000 mg/l (Pseudomonas putida) (DIN 38412)		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Version number 1 Revision: 20.04.2021 Printing date 02.07.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 7)

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Void

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Hand over to hazardous waste disposers.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA

- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void
- · 14.3 Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- · Class Void

(Contd. on page 9)



Printing date 02.07.2021 Version number 1 Revision: 20.04.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

	(0	Contd. of page 8)	
· 14.4 Packing group			
· ADR, IMDG, IATA	Void		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Maritime transport in bulk according to			
IMO instruments	Not applicable.		
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Department issuing SDS: CSD-D

· Contact:

Department CSD-D Tel.: +49-7195-14-2548

productsafety.management@de.kaercher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 10)



Version number 1 Revision: 20.04.2021 Printing date 02.07.2021

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

0.011-078-0 RM 768 OA/6 2.404